

NOTE:
1. PROVIDE MECHANICAL MOUNTING W/ VANDAL RESISTANT FASTENERES.
2. PROVIDE ADHESIVE MOUNTING SYSTEM WHEN ATTACHED TO GLAZING.

TACTILE EXIT SIGN | 3" = 1'-0" | 30



NOTE:
1. PROVIDE MECHANICAL MOUNTING W/ VANDAL RESISTANT FASTENERES. PROVIDE ADHESIVE MOUNTING SYSTEM WHEN ATTACHED TO GLAZING.
2. PRIMARY ENTRANCES TO RECEIVE ROOM IDENTIFICATION SIGN, SECONDARY ENTRANCES TO HAVE ROOM NUMBER U.N.O., REFER ACCESSIBILITY PLAN AND DOOR SCHEDULE.

ROOM NUMBER SIGN | 3" = 1'-0" | 23



NOTE:
1. PROVIDE MECHANICAL MOUNTING W/ VANDAL RESISTANT FASTENERES. PROVIDE ADHESIVE MOUNTING SYSTEM WHEN ATTACHED TO GLAZING.

TACTILE EXIT ROUTE SIGN | 3" = 1'-0" | 19



FIGURE *11B-404.2.4.1*

FRONT APPROACH, PUSH SIDE, DOOR PROVIDED WITH BOTH CLOSER AND LATCH TO COMPLY WITH CBC 11B-404.2

DOOR LANDINGS | 3/8" = 1'-0" | 15



TACTILE SIGNAGE TEMPLATES | 1 : 1 | 6



STANDARD DRYWELL DETAIL | 3/16" = 1'-0" | 28



ACCESSIBLE DIRECTIONAL SIGN | 1/2" = 1'-0" | 22



EXISTING ACCESSIBLE PARKING SIGNAGE | 1/2" = 1'-0" | 18



NOTE:
PROVIDE MECHANICAL MOUNTING W/ VANDAL RESISTANT FASTENERES. PROVIDE ADHESIVE MOUNTING SYSTEM WHEN ATTACHED TO GLAZING.

ACCESSIBLE ENTRY SIGN | 3" = 1'-0" | 13



SEE PLANS AND DOOR SCHEDULES FOR SIGNAGE TYPE AT EACH DOOR

NOTE:
1. AT ALL DOUBLE DOORS, LOCATE SIGNAGE ADJACENT TO JAMB OF INACTIVE LEAF OF DOOR PAIR. PROVIDE 90 DEGREE INHIBITOR TYPE CLOSER ON INACTIVE DOOR.
2. SEE DOOR SCHEDULES FOR TYPE OF DOOR SIGNAGE AT ALL DOORS.
3. SEE REQUIRED ROOM SIGNAGE DETAILS FOR REQUIRED HEIGHT.

DOOR ROOM SIGNAGE | 1/2" = 1'-0" | 4



NOTE:
CONC. POLE BASE MUST NOT EXCEED 6" ABOVE FIN. GRADE AT LANDSCAPED AREA.

NEW LIGHT POLE BASE | 1/4" = 1'-0" | 25



CONCRETE WHEEL STOP | 3" = 1'-0" | 20



EXISTING VAN ACCESSIBLE SIGNAGE | 1/2" = 1'-0" | 17



ISA SEAT SIGN | 3" = 1'-0" | 11



SIGN SHALL MEET THE REQUIREMENTS OF 11B-703.7.2.1

EXISTING ISA PARKING SYMBOL | 1/2" = 1'-0" | 3



EXISTING RAMP AT CURB | 1" = 1'-0" | 24



ENLARGED EXISTING ACCESSIBLE PARKING STALLS | 1" = 1'-0" | 16



NOTE:
MAXIMUM SLOPE OF FINISHED SURFACE SHALL NOT EXCEED 2% IN ANY DIRECTION.

EXISTING ACCESSIBLE PARKING STALL | 1/8" = 1'-0" | 10



NOTE:
MAXIMUM SLOPE OF FINISHED SURFACE SHALL NOT EXCEED 2% IN ANY DIRECTION.

EXISTING VAN ACCESSIBL' PARKING STALL | 1/8" = 1'-0" | 1

OWNER: EL MONTE UNION HIGH SCHOOL DISTRICT

PROJECT NAME: EL MONTE HIGH SCHOOL BLEACHERS

CLIENT ADDRESS: 3048 TYLER AVENUE, EL MONTE, CA, 91731

LICENSED ARCHITECT ROBERT M. SIMONIAN No. C-13001 JAN. 31, 2019 STATE OF CALIFORNIA

IDENTIFICATION STAMP
DIVISION OF THE STATE ARCHITECT
OFFICE OF REGULATION SERVICES

A# **03-117117**

AC_____ FLS_____ SS_____

DATE _____

FILE # 19-H10

REVISIONS:

	DESCRIPTION	DATE
A	Addendum A	4-5-2017

DATE ISSUED: 01-23-2017

PROJECT NO: 2014-40163

SCALE: As indicated

SHEET NUMBER: _GEN-3

SHEET TITLE:

_GEN-3 _ACCESSIBLITY COMPLIANCE

SVA ARCHITECTS
3 MacArthur Place, Suite 850 Santa Ana, CA 92707
T (949) 809-3380 WWW.SVA-ARCHITECTS.COM
SANTA ANA OAKLAND SAN DIEGO HONOLULU

THIS DOCUMENT CONTAINS INFORMATION PROPRIETARY TO SVA ARCHITECTS INC. AND IS FURNISHED IN CONFIDENCE FOR THE LIMITED PURPOSE OF EVALUATION, BIDDING OR REVIEW. THIS DOCUMENT OR ITS CONTENTS MAY NOT BE USED FOR ANY OTHER PURPOSE AND MAY NOT BE REPRODUCED OR DISCLOSED TO OTHERS WITHOUT THE PRIOR WRITTEN CONSENT OF SVA ARCHITECTS INC. ALL RIGHTS RESERVED. © COPYRIGHT 2015.